

### Closed Request Work Orders

Displays work orders that have been closed within the last 30 days.

Bransford, Mike

Print All

Description	Details	Status Reports
<p><b>Campus: LMC</b></p> <p>lights out in auto shop lab. need lift to reach ceiling</p> <p><b>Location:</b> CC3-512 (SMALL ENGINE)</p>	<p><b>Assigned to:</b> Bransford, Mike  <b>Ticket ID:</b> 19419  <b>Priority:</b> 1  <b>Status:</b> closed  <b>Date issued:</b> 01/15/14 08:54 AM  <b>Date needed:</b> 01/17/14  <b>Requestor:</b> Don Asher</p> <p><b>Date completed:</b> 2/10/2014 8:30:32 AM</p>	
<p><b>Campus: LMC</b></p> <p>One of the light poles along the fence in the Auto Shop yard is burnt out. Please repair.</p> <p>Thanks</p> <p><b>Location:</b> NOT LISTED</p>	<p><b>Assigned to:</b> Bransford, Mike  <b>Ticket ID:</b> 19494  <b>Priority:</b> 1  <b>Status:</b> closed  <b>Date issued:</b> 01/21/14 08:04 AM  <b>Date needed:</b> NOT SPECIFIED  <b>Requestor:</b> Russ Holt</p> <p><b>Date completed:</b> 2/10/2014 8:30:47 AM</p>	
<p><b>Campus: LMC</b></p> <p>please repair the hot water valve leak located on the second floor of the library. thanks!</p> <p><b>Location:</b> NOT LISTED</p>	<p><b>Assigned to:</b> Bransford, Mike  <b>Ticket ID:</b> 19824  <b>Priority:</b> 1  <b>Status:</b> closed  <b>Date issued:</b> 02/11/14 10:38 AM  <b>Date needed:</b> NOT SPECIFIED  <b>Requestor:</b> Irene Sukhu</p> <p><b>Date completed:</b> 2/11/2014 11:51:39 AM</p>	<p>replaced 1/2" valve and actuator for reheat</p> <p><b>Created:</b> 02/11/2014 11:51 AM</p>
<p><b>Campus: LMC</b></p> <p>The large wallpack on the east side of the childcare building is burnt out</p> <p><b>Location:</b></p>	<p><b>Assigned to:</b> Bransford, Mike  <b>Ticket ID:</b> 19470  <b>Priority:</b> 1  <b>Status:</b> closed</p>	



NOT LISTED

**Date issued:** 01/16/14 12:00 PM

**Date needed:** NOT SPECIFIED

**Requestor:** Russ Holt

**Date completed:** 2/11/2014 11:51:56 AM

**Campus:** LMC

Due to the change of the interior locks in the CSC and in CSC-RM 201, we will no longer have access to the light switch in rm-201 that is associated with the lights in the observation deck. We would like to request an exterior light switch or new set of lights to be place over the file cabinets on the observation deck.

**Assigned to:** Bransford, Mike

**Ticket ID:** 19819

**Priority:** 3

**Status:** closed

**Date issued:** 02/12/14 11:53 AM

**Date needed:** NOT SPECIFIED

**Requestor:** Melissa Jackson

**Date completed:** 2/13/2014 9:40:01 AM

**Location:**

CS-9 (OBSERVATION PLATFORM/CHILD STUDIES)

**Campus:** LMC

There is an electrical short produced by the welding power supply in pipe booth #2. The problem may reside in the plug or inside the outlet box for the power supply. See me for more info.

**Assigned to:** Bransford, Mike

**Ticket ID:** 19880

**Priority:** 1

**Status:** closed

**Date issued:** 02/18/14 11:14 AM

**Date needed:** 02/18/14

**Requestor:** JOE MEYER

**Date completed:** 2/19/2014 10:11:24 AM

**Location:**

CC3-517A (WELDING LAB)

**Campus:** LMC

There is a wallpack fixture on the Science building over the door to the Maintenance space at the South East corner of the Building.

Please repair

Thanks

**Assigned to:** Bransford, Mike

**Ticket ID:** 19473

**Priority:** 1

**Status:** closed

**Date issued:** 01/21/14 08:03 AM

**Date needed:** NOT SPECIFIED

**Requestor:** Russ Holt

**Date completed:** 2/19/2014 10:11:31 AM

**Location:**

NOT LISTED

**Campus:** LMC

The math department is filing a RAP to help rearrange MA2-203 and to do so we need a quote. This work order request is for a quote, not the actual moving around of furniture.

I am available this Thursday 8:30-10:30am, 11:30am-1pm. Please text my cell if you can make it.

We'll then meet in MA2-203 and I'll describe what we need to have done.

**Assigned to:** Bransford, Mike

**Ticket ID:** 19737

**Priority:** 2

**Status:** closed

**Date issued:** 02/05/14 10:39 AM

**Date needed:** 02/11/14

**Requestor:** Tue Rust

**Date completed:** 2/19/2014 10:12:26 AM



Basically, we need to rearrange half the desks along the wall and half the desks in groups in the middle of the room. We then need to move the computers to the wall. The issue is there are many electrical wires and the desks are attached with bracers. Thank you for your help!

**Location:**

MA2-203 (LAB #4)

**Campus: LMC**

The tall light poles in the ChildCare yard were off.  
Please check.

Thanks

**Location:**

NOT LISTED

**Assigned to:** Bransford, Mike

**Ticket ID:** 19467

**Priority:** 1

**Status:** closed

**Date issued:** 01/16/14 12:00 PM

**Date needed:** NOT SPECIFIED

**Requestor:** Russ Holt

**Date completed:** 2/24/2014 6:11:35 AM

**Campus: LMC**

One of the difusers in front of the light box (above the mirror) in the women's restroom on the lower level of the library is falling down. It just needs to be pushed back up (I think).

Can someone look at it when they get a chance.

Thanks.

**Location:**

L1-104 (WOMENS RESTROOM)

**Assigned to:** Bransford, Mike

**Ticket ID:** 19877

**Priority:** 3

**Status:** closed

**Date issued:** 02/18/14 11:16 AM

**Date needed:** NOT SPECIFIED

**Requestor:** teresa ferguson

**Date completed:** 3/3/2014 6:47:49 AM

**Campus: LMC**

I need the air vents above my desk redirected so that it doesn't blow directly down on my desk.

Also, there is a piece of furniture (a small metal cabinet) that Dean Jeffrey Benford wants moved right away. It needs to be disposed of.

Thank you.

**Location:**

CC2-257(EOPS/CARE)

**Assigned to:** Bransford, Mike

**Ticket ID:** 20027

**Priority:** 2

**Status:** closed

**Date issued:** 02/28/14 09:33 AM

**Date needed:** NOT SPECIFIED

**Requestor:** Yasmine Flaggs

**Date completed:** 3/6/2014 6:16:17 AM

**Campus: LMC**

**Assigned to:** Bransford, Mike

**Ticket ID:** 20112

**Priority:** 2



Can Mike or Glenn do a cross connect for the new Business Office work space. 3772 is the ext. I want to use.

**Location:**

CC3-371

**Status:** closed

**Date issued:** 03/05/14 08:16 AM

**Date needed:** 03/15/14

**Requestor:** Lisa McFarland

**Date completed:** 3/6/2014 1:12:02 PM